



gravity-s

FA 30 723 20



FA 30 820 15



FA 30 822 15



FA 30 823 15



REF.	FA 30 723 20	FA 30 820 15	FA 30 822 15	FA 30 823 15
LG. (MIN./MAX.)	1.5 m / 2.0 m	1.2 m / 1.5 m	1.2 m / 1.5 m	1.2 m / 1.5 m
KG	140 KG	140 KG	140 KG	140 KG
CE UK CA	EN 355	EN 355	EN 355	EN 355
MAT.	30 mm PES	30 mm PES	30 mm PES	30 mm PES
	45 mm	45 mm	45 mm	45 mm
	ALU	ALU	ALU	ALU
	QUARTER / DOUBLE ACTION	QUARTER / DOUBLE ACTION	QUARTER / DOUBLE ACTION	QUARTER / DOUBLE ACTION
	YES	YES	YES	YES
+	360° x1	PPE-R 11.063 360° x1	PPE-R 11.063 360° x2	PPE-R 11.063 360° x1 109 mm rebar hooks
Kg	1.14 KG	1.60 KG	1.87 KG	2.55 KG



FA 30 724 20



FA 30 824 20




FA 30 900 20



INTERNAL
SHOCK
ABSORBER

FA 30 1000 20



REF.	FA 30 724 20	FA 30 824 20	FA 30 900 20	FA 30 1000 20
LG. (MIN./MAX.)	1.4 m / 2.0 m	1.5 m / 2.0 m	1.4 m / 2.0 m	1.4 m / 2.0 m
 KG	140 KG	140 KG	140 KG	140 KG
 	EN 355	EN 355	EN 355	EN 355
MAT.	 30 mm  PES	 30 mm  PES	 45 mm  PES	 45 mm  PES
	45 mm	45 mm	INTERNAL ABSORBER	INTERNAL ABSORBER
	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION
	YES	YES	YES	YES
+	 x1	PPE-R 11.063  x1	PPE-R 11.063  x1	PPE-R 11.063  x1
	1.30 KG	2.03 KG	1.01 KG	1.88 KG

CURIOSITY-S

FA 30 522 10
FA 30 522 12
FA 30 522 15
FA 30 522 20



FA 30 620 15



FA 30 621 15



ANTICUT
ROPE



REF.	FA 30 522 XX	FA 30 620 15	FA 30 621 15
LG. (MIN./ MAX.)	1.0 m 1.2 m 1.5 m 2.0 m	1.5 m	1.5 m
 KG	140 KG	140 KG	140 KG
 	EN 355	EN 355	EN 355
MAT.	 PA 11 mm	 PA 11 mm	 PA 11 mm
	45 mm	45 mm	45 mm
	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION
	YES	YES	YES
+	---	PPE-R 11.063	PPE-R 11.063, 109 mm rebar hooks
	1.01 KG 1.03 KG 1.06 KG 1.10 KG	1.76 KG	2.52 KG

CURIOSITY

FA 30 514 20



FA 30 614 20




FA 30 000 45



ADJUSTABLE



REF.	FA 30 514 20	FA 30 614 20	FA 30 000 45
LG.  KG	Min. 1.4 m Maxi. 2.0 m 140 KG	Min. 1.4 m Maxi. 2.0 m 140 KG	0.32 m / 1.50 m 140 KG
	EN 355	EN 355	EN 355
MAT.	 PA 11 mm	 PA 11 mm	 45 mm PES
	45 mm	45 mm	45 mm
	 QUARTER / DOUBLE ACTION	 QUARTER / DOUBLE ACTION	---
	NO	NO	---
+	---	PPE-R 11.063	---
	1.21 KG	1.91 KG	0.35 KG

HOPE

FA 30 500 15
FA 30 500 20



FA 30 502 15
FA 30 502 20



FA 30 503 15
FA 30 503 20



FA 30 600 13



FA 30 600 10
FA 30 600 15



FA 30 000 35



REF.	FA 30 500 XX	FA 30 502 XX	FA 30 503 XX	FA 30 600 13	FA 30 600 XX	FA 30 000 35
LG.	1.5 m 1.8 m	1.5 m 1.8 m	1.5 m 2.0 m	1.3 m	1.0 m 1.5 m	0.22 m / 1.30 m
KG	100 KG	100 KG	100 KG	100 KG	100 KG	100 KG
CE UK CA	EN 355	EN 355	EN 355	EN 355	EN 355	EN 355
MAT.	PA 11 mm	PA 11 mm	PA 11 mm	PA 11 mm	PA 11 mm	35 mm PES
	35 mm	35 mm	45 mm	45 mm	45 mm	35 mm
	---	STEEL	STEEL	---	STEEL	---
	NO	NO	NO	NO	NO	---
+	---	---	---	PPE-R 11.063	PPE-R 11.063	---
Kg	0.42 KG 0.46 KG	0.91 KG 0.93 KG	1.13 KG 1.15 KG	0.77 KG	1.60 KG 1.82 KG	0.2 KG

HOPE

FA 30 200 15



FA 30 304 18



FA 30 400 18







FA 30 800 15



FA 30 703 20



REF.	FA 30 200 15	FA 30 304 18	FA 30 400 18	FA 30 703 20	FA 30 800 15
LG.	1.5 m	1.8 m	1.8 m	1.4 m / 2.0 m	1.25 m / 1.5 m
 KG	100 KG	100 KG	100 KG	100 KG	100 KG
 UK CA	EN 355	EN 355	EN 355	EN 355	EN 355
MAT.	 PA 12 mm	 30 mm PES	 30 mm PES	 45 mm PES	 45 mm PES
	45 mm	35 mm	35 mm	45 mm	35 mm
					
	NO	NO	NO	NO	NO
+	PPE-R 11.063	---	PPE-R 11.063	---	PPE-R 11.063
	1.86 KG	0.87 KG	1.52 KG	1.22 KG	1.44 KG